

Priključnica dvopolna 16A/250V~ sa polikarbonatskim jezgrom

- Usaglašeno sa IEC 60884-1,
- Ugradnja u noseću priрубnicu utiskivanjem,

- | | |
|----------------------|---|
| art. 651.0 | beli blok |
| art. 651.A | antracit blok |
| art. 651.4 | crveni blok |
| art. 651.12 | zeleni blok |
| art. 651.N | narandžasti blok |
| art. PP651.0 | beli blok - zbirno pakovanje 5 kom |
| art. PP651.A | antracit blok - zbirno pakovanje 5 kom |
| art. PP651.4 | crveni blok - zbirno pakovanje 5 kom |
| art. PP651.12 | zeleni blok - zbirno pakovanje 5 kom |
| art. PP651.N | narandžasti blok - zbirno pakovanje 5 kom |

Double-pole socket outlet 16A/250V~ with polycarbonate insert

- Complied with IEC 60884-1
- Installation into the holding flange by pressing

- | | |
|----------------------|--|
| art. 651.0 | white block |
| art. 651.A | anthracite block |
| art. 651.4 | red block |
| art. 651.12 | green block |
| art. 651.N | orange block |
| art. PP651.0 | white block - collective packing 5 pcs. |
| art. PP651.A | anthracite block - collective packing 5 pcs. |
| art. PP651.4 | red block - collective packing 5 pcs. |
| art. PP651.12 | green block - collective packing 5 pcs. |
| art. PP651.N | orange block - collective packing 5 pcs. |



za mreže sa UPS (sa transformatorom)

for power networks with UPS (with transformer)



za mreže sa zaštićenim generatorskim napajanjem

for power networks with protected generator supply via transformer



za mreže sa generatorskim napajanjem preko transformatora

for power networks with generator supply via transformer



Priključnica dvopolna 16A/250V~ - Francuski standard

- Usaglašeno sa IEC 60884-1, NF C 61-314,
- Ugradnja u noseću priрубnicu utiskivanjem

- | | |
|----------------------|---|
| art. 654.0 | beli blok |
| art. 654.A | antracit blok |
| art. 654.4 | crveni blok |
| art. 654.12 | zeleni blok |
| art. 654.N | narandžasti blok |
| art. PP654.0 | beli blok - zbirno pakovanje 5 kom |
| art. PP654.A | antracit blok - zbirno pakovanje 5 kom |
| art. PP654.4 | crveni blok - zbirno pakovanje 5 kom |
| art. PP654.12 | zeleni blok - zbirno pakovanje 5 kom |
| art. PP654.N | narandžasti blok - zbirno pakovanje 5 kom |

Double-pole socket outlet 16A/250V~ - French standard

- Complied with IEC 60884-1, NF C 61-314,
- Installation into the holding flange by pressing

- | | |
|----------------------|---|
| art. 654.0 | white block |
| art. 654.A | anthracite block |
| art. 654.4 | red block |
| art. 654.12 | green block |
| art. 654.N | orange block |
| art. PP654.0 | white block - collective packing 5 pcs |
| art. PP654.A | anthracite block - collective packing 5 pcs |
| art. PP654.4 | red block - collective packing 5 pcs |
| art. PP654.12 | green block - collective packing 5 pcs |
| art. PP654.N | orange block - collective packing 5 pcs |



za mreže sa UPS (sa transformatorom)

for power networks with UPS (with transformer)



za mreže sa zaštićenim generatorskim napajanjem

for power networks with protected generator supply via transformer



za mreže sa generatorskim napajanjem preko transformatora

for power networks with generator supply via transformer



Priključnica dvopolna 16A/250V~ sa jezgrom od polikarbonata i poklopcem

- Usaglašeno sa IEC 60884-1,
- Ugradnja u noseću priрубnicu utiskivanjem,

- | | |
|----------------------|---|
| art. 653.0 | bela |
| art. 653.A | antracit |
| art. 653.0T | beli blok / transparentni poklopac |
| art. 653.AT | antracit blok / transparentni poklopac |
| art. PP653.0 | bela - zbirno pakovanje 5 kom |
| art. PP653.A | antracit - zbirno pakovanje 5 kom |
| art. PP653.0T | beli blok / transparentni poklopac - zbirno pakovanje 5 kom |
| art. PP653.AT | antracit blok / transparentni poklopac - zbirno pakovanje 5 kom |

Double-pole socket outlet 16A/250V~ with polycarbonate insert and cover

- Complied with IEC 60884-1
- Installation into the holding flange by pressing

- | | |
|----------------------|--|
| art. 653.0 | white |
| art. 653.A | anthracite |
| art. 653.0T | white block / transparent cover |
| art. 653.AT | anthracite block / transparent cover |
| art. PP653.0 | white - collective packing 5 pcs. |
| art. PP653.A | anthracite - collective packing 5 pcs. |
| art. PP653.0T | white block / transparent cover - collective packing 5 pcs. |
| art. PP653.AT | anthracite block / transparent cover - collective packing 5 pcs. |



Priključnica dvopolna 16A/250V~ sa zaštitom od dodira - Francuski standard

- Usaglašeno sa IEC 60884-1, NF C 61-314,
- Ugradnja u noseću priрубnicu utiskivanjem

- | | |
|-----------------------|---|
| art. 6540.0 | beli blok |
| art. 6540.A | antracit blok |
| art. 6540.4 | crveni blok |
| art. 6540.12 | zeleni blok |
| art. 6540.N | narandžasti blok |
| art. PP6540.0 | beli blok - zbirno pakovanje 5 kom |
| art. PP6540.A | antracit blok - zbirno pakovanje 5 kom |
| art. PP6540.4 | crveni blok - zbirno pakovanje 5 kom |
| art. PP6540.12 | zeleni blok - zbirno pakovanje 5 kom |
| art. PP6540.N | narandžasti blok - zbirno pakovanje 5 kom |

Double-pole socket outlet 16A/250V~ with touch protection - French standard

- Complied with IEC 60884-1, NF C 61-314,
- Installation into the holding flange by pressing

- | | |
|-----------------------|---|
| art. 6540.0 | white block |
| art. 6540.A | anthracite block |
| art. 6540.4 | red block |
| art. 6540.12 | green block |
| art. 6540.N | orange block |
| art. PP6540.0 | white block - collective packing 5 pcs |
| art. PP6540.A | anthracite block - collective packing 5 pcs |
| art. PP6540.4 | red block - collective packing 5 pcs |
| art. PP6540.12 | green block - collective packing 5 pcs |
| art. PP6540.N | orange block - collective packing 5 pcs |



za mreže sa UPS (sa transformatorom)

for power networks with UPS (with transformer)



za mreže sa zaštićenim generatorskim napajanjem

for power networks with protected generator supply via transformer



za mreže sa generatorskim napajanjem preko transformatora

for power networks with generator supply via transformer



Sklop dve priključnice dvopolne 16A/250V~ - premošteno

- Usaglašeno sa IEC 60884-1,
- Ugradnja u noseću prirubnicu utiskivanjem,

art. **66512.0** beli blok
art. **66512.A** antracit blok

Two double-pole socket outlet assembly 16A/250V~ with bridged contacts

- Complied with IEC 60884-1,
- Installation into the holding flange by pressing

art. **66512.0** white block
art. **66512.A** anthracite block



Sklop tri priključnice dvopolne 16A/250V~ - premošteno



- Usaglašeno sa IEC 60884-1,
- Ugradnja u noseću prirubnicu utiskivanjem,

art. **66513.0** beli blok
art. **66513.A** antracit blok

Three double-pole socket outlet assembly 16A/250V~ with bridged contacts

- Complied with IEC 60884-1,
- Installation into the holding flange by pressing

art. **66513.0** white block
art. **66513.A** anthracite block



Premošteni sklopovi priključnica.
Dovoljno je samo priključiti napojni kabal.

Socket outlet assembly with bridged contact.
One need only connect the cable.

PRIKLJUČNICE

Priključnica dvopolna 10A/250V~ sa polikarbonatskim jezgrom

- Usaglašeno sa CEI 23-16/VII,
- Ugradnja u noseću prirubnicu utiskivanjem,
- Zaštita od dodira kontakata

art. **652.0** beli blok
art. **652.A** antracit blok
art. **652.4** crveni blok
art. **PP652.0** beli blok - zbirno pakovanje 10 kom
art. **PP652.A** antracit blok - zbirno pakovanje 10 kom
art. **PP652.4** crveni blok - zbirno pakovanje 10 kom

SOCKET OUTLETS

Double-pole socket outlet 10A/250V~ with polycarbonate insert

- Complied with CEI 23-16/VII
- Installation into the holding flange by pressing
- Protected against contact touch

art. **652.0** white block
art. **652.A** anthracite block
art. **652.4** red block
art. **PP652.0** white block - collective packing 10 pcs.
art. **PP652.A** anthracite block - collective packing 10 pcs.
art. **PP652.4** red block - collective packing 10 pcs.




za mreže sa UPS (sa transformatorom)
for power networks with UPS (with transformer)


DIMENZIJE ZA UGRADNJU (visina i dubina od ravni zida)

INSTALLATION DIMENSIONS (height and depth from the wall plane)


Priključnica 10A/250V~
Socket outlet 10A/250V~




Priključnica 16A/250V~
Socket outlet 16A/250V~




Priključnica 16A/250V~ sa poklopcem
Socket outlet 16A/250V~ with cover




Priključnica 16A/250V~ - Francuski standard
Socket outlet 16A/250V~ - French standard




12,1 18,7
Telefonske priključnice 6/2 i 6/4 (širina modula 22,2 mm)
Telephone sockets 6/2 & 6/4 (module width 22,2 mm)



12,1 25,3
Priključnica telefonska 6/6 i komunikacijska (širina modula 22,2 mm)
Telephone socket 6/6 and communication socket (module width 22,2 mm)



12,1 23,1
Priključnica komunikacijska ELine (širina modula 22,2 mm)
Communication socket ELine (module width 22,2 mm)



Priključnica telefonska RJ12 6/2

- Usaglašeno sa IEC 60603-7,
- Priključak za jednu paricu (linija),
- Ugradnja u noseću prirubnicu utiskivanjem

art. **661.0** beli blok
 art. **661.A** antracit blok
 art. **PP661.0** beli blok - zbirno pakovanje 10 kom
 art. **PP661.A** antracit blok - zbirno pakovanje 10 kom

Telephone socket RJ12 6/2

- Complied with IEC 60603-7
- Connection for one pair (line)
- Installation into the holding flange by pressing

art. **661.0** white block
 art. **661.A** anthracite block
 art. **PP661.0** white block - collective packing 10 pcs.
 art. **PP661.A** anthracite block - collective packing 10 pcs.



Priključnica komunikacijska sa Keystone modulom RJ45 8/8 Cat6 UTP

- Usaglašeno sa IEC 60603-7,
- Montaža provodnika bez upotrebe alata (Toolless),
- Spajanje prema TIA/EIA-568A ili 568B standardu za raspored parica,
- Ugradnja u noseću prirubnicu utiskivanjem

art. **665.0** beli blok
 art. **665.A** antracit blok

Data socket Keystone module RJ45 8/8 Cat6 UTP

- Complied with IEC 60603-7
- Toolless conducting wire installation
- Connecting according to TIA/EIA-568A or 568B standard for the arrangement of pairs
- Installation into the holding flange by pressing

art. **665.0** white block
 art. **665.A** anthracite block



Priključnica telefonska RJ12 6/4

- Usaglašeno sa IEC 60603-7,
- Priključak za dve parice (linija + terminal),
- Ugradnja u noseću prirubnicu utiskivanjem

art. **663.0** beli blok
 art. **663.A** antracit blok
 art. **PP663.0** beli blok - zbirno pakovanje 10 kom
 art. **PP663.A** antracit blok - zbirno pakovanje 10 kom

Telephone socket RJ12 6/4

- Complied with IEC 60603-7
- Connection for two pairs (line+terminal)
- Installation into the holding flange by pressing

art. **663.0** white block
 art. **663.A** anthracite block
 art. **PP663.0** white block - collective packing 10 pcs.
 art. **PP663.A** anthracite block - collective packing 10 pcs.



Priključnica komunikacijska sa Keystone modulom RJ45 8/8 Cat6 FTP

- Usaglašeno sa IEC 60603-7,
- Montaža provodnika bez upotrebe alata (Toolless),
- Spajanje prema TIA/EIA-568A ili 568B standardu za raspored parica,
- Ugradnja u noseću prirubnicu utiskivanjem

art. **665S.0** beli blok
 art. **665S.A** antracit blok

Data socket Keystone module RJ45 8/8 Cat6 FTP

- Complied with IEC 60603-7
- Toolless conducting wire installation
- Connecting according to TIA/EIA-568A or 568B standard for the arrangement of pairs
- Installation into the holding flange by pressing

art. **665S.0** white block
 art. **665S.A** anthracite block



Priključnica telefonska RJ12 6/6 Cat 3 Keystone

- Usaglašeno sa IEC 60603-7,
- Za ISDN linije,
- Montaža provodnika bez upotrebe alata (Toolless),
- Ugradnja u noseću prirubnicu utiskivanjem

art. **6631.0** beli blok
 art. **6631.A** antracit blok
 art. **PP6631.0** beli blok - zbirno pakovanje 10 kom
 art. **PP6631.A** antracit blok - zbirno pakovanje 10 kom

Telephone socket RJ12 6/6 Cat 3 Keystone

- Complied with IEC 60603-7
- For ISDN lines
- Toolless conducting wire installation
- Installation into the holding flange by pressing

art. **6631.0** white block
 art. **6631.A** anthracite block
 art. **PP6631.0** white block - collective packing 10 pcs.
 art. **PP6631.A** anthracite block - collective packing 10 pcs.



Priključnica komunikacijska sa ELine modulom RJ 45 Cat 6 UTP

- Usaglašeno sa IEC 60603-7,
- Montaža provodnika bez upotrebe alata (Toolless),
- Spajanje prema TIA/EIA-568A ili 568B standardu za raspored parica,
- Ugradnja u noseću prirubnicu utiskivanjem

art. **666.0** beli blok
 art. **666.A** antracit blok

Data socket ELine module RJ 45 Cat 6 UTP

- Complied with IEC 60603-7
- Toolless conducting wire installation
- Connecting according to TIA/EIA-568A or 568B standard for the arrangement of pairs
- Installation into the holding flange by pressing

art. **666.0** white block
 art. **666.A** anthracite block



Priključnica komunikacijska sa Keystone modulom RJ45 8/8 Cat5e UTP

- Usaglašeno sa IEC 60603-7,
- Montaža provodnika bez upotrebe alata (Toolless),
- Spajanje prema TIA/EIA-568A ili 568B standardu za raspored parica,
- Ugradnja u noseću prirubnicu utiskivanjem

art. **664.0** beli blok
 art. **664.A** antracit blok

Data socket Keystone module RJ45 8/8 Cat5e UTP

- Complied with IEC 60603-7
- Toolless conducting wire installation
- Connecting according to TIA/EIA-568A or 568B standard for the arrangement of pairs
- Installation into the holding flange by pressing

art. **664.0** white block
 art. **664.A** anthracite block



Priključnica komunikacijska sa ELine modulom RJ 45 Cat 6 STP

- Usaglašeno sa IEC 60603-7,
- Montaža provodnika bez upotrebe alata (Toolless),
- Spajanje prema TIA/EIA-568A ili 568B standardu za raspored parica,
- Ugradnja u noseću prirubnicu utiskivanjem

art. **666S.0** beli blok
 art. **666S.A** antracit blok

Data socket ELine module RJ 45 Cat 6 STP

- Complied with IEC 60603-7
- Toolless conducting wire installation
- Connecting according to TIA/EIA-568A or 568B standard for the arrangement of pairs,
- Installation into the holding flange by pressing

art. **666S.0** white block
 art. **666S.A** anthracite block



Priključnica komunikacijska sa Keystone modulom RJ45 8/8 Cat5e FTP

- Usaglašeno sa IEC 60603-7,
- Montaža provodnika bez upotrebe alata (Toolless),
- Spajanje prema TIA/EIA-568A ili 568B standardu za raspored parica,
- Ugradnja u noseću prirubnicu utiskivanjem

art. **664S.0** beli blok
 art. **664S.A** antracit blok

Data socket Keystone module RJ45 8/8 Cat5e FTP

- Complied with IEC 60603-7
- Toolless conducting wire installation
- Connecting according to TIA/EIA-568A or 568B standard for the arrangement of pairs
- Installation into the holding flange by pressing

art. **664S.0** white block
 art. **664S.A** anthracite block



Priključnica komunikacijska sa ELine modulom EC7 Cat 7 STP

- Mogućnost korišćenja za multimedijalne komunikacije,
- Montaža provodnika bez upotrebe alata (Toolless),
- Ugradnja u noseću prirubnicu utiskivanjem

art. **666M.0** beli blok
 art. **666M.A** antracit blok

Data socket ELine module EC7 Cat 7 STP

- Multimedia communication use,
- Toolless conducting wire installation,
- Installation into the holding flange by pressing

art. **666M.0** white block
 art. **666M.A** anthracite block



Keystone nosač

- Modul širine 22,2 mm za nošenje Keystone konektora,
- Ugradnja u noseću pribirnicu utiskivanjem

art. **6519.0** beli blok
art. **6519.A** antracit blok

Keystone holder

- Module 22,2mm width for Keystone connectors holding
- Installation into the holding flange by pressing

art. **6519.0** white block
art. **6519.A** anthracite block



ELine nosač

- Modul širine 22,2 mm za nošenje ELine konektora,
- Ugradnja u noseću pribirnicu utiskivanjem

art. **65190.0** beli blok
art. **65190.A** antracit blok

ELine holder

- Module 22,2mm width for ELine connectors holding
- Installation into the holding flange by pressing

art. **65190.0** white block
art. **65190.A** anthracite block



Priključnica antenska TV za individualne sisteme IEC M 9,5mm/F

- Usaglašeno sa IEC 61169-2 - muški konektor,
- Montaža antenskog kabla preko F konektora (IEC 60169-24),
- Bez prigušenja signala,
- Ugradnja u noseću pribirnicu utiskivanjem

art. **6621.0** beli blok
art. **6621.A** antracit blok
art. **PP6621.0** beli blok - zbirno pakovanje 10 kom
art. **PP6621.A** antracit blok - zbirno pakovanje 10 kom

TV aerial socket for individual systems IEC M 9,5mm/F

- Complied with IEC 61169-2 - M connector
- Installation of aerial cable by F connector (IEC 60169-24),
- Without signal attenuation
- Installation into the holding flange by pressing

art. **6621.0** white block
art. **6621.A** anthracite block
art. **PP6621.0** white block - collective packing 10 pcs.
art. **PP6621.A** anthracite block - collective packing 10 pcs.



Priključnica antenska FM za individualne sisteme IEC F 9,5mm/F

- Usaglašeno sa IEC 60169-2 - ženski konektor,
- Montaža antenskog kabla preko F konektora (IEC 60169-24),
- Bez prigušenja signala,
- Ugradnja u noseću pribirnicu utiskivanjem

art. **6622.0** beli blok
art. **6622.A** antracit blok

FM aerial socket for individual systems IEC F 9,5mm/F

- complied with iec 60169-2 - female connector,
- Installation of aerial cable by F connector (IEC 60169-24),
- without signal attenuation,
- installation into the holding flange by pressing

art. **6622.0** white block
art. **6622.A** anthracite block



Priključnica antenska TV završna IEC M 9,5mm

- Usaglašeno sa IEC 60169-2 - muški konektor,
- Montaža antenskog kabla preko vijčane veze,
- Prigušenje signala cca 5dB,
- Ugradnja u noseću pribirnicu utiskivanjem

art. **6623.0** beli blok
art. **6623.A** antracit blok
art. **PP6623.0** beli blok - zbirno pakovanje 10 kom
art. **PP6623.A** antracit blok - zbirno pakovanje 10 kom

TV areal terminal socket IEC M 9,5mm

- Complied with IEC 60169-2 - male connector
- Installation of aerial cable by screw terminals
- Signal attenuation approx. 5dB
- Installation into the holding flange by pressing

art. **6623.0** white block
art. **6623.A** anthracite block
art. **PP6623.0** white block - collective packing 10 pcs.
art. **PP6623.A** anthracite block - collective packing 10 pcs.



Priključnica antenska TV prolazna IEC M 9,5mm

- Usaglašeno sa IEC 61169-2 - muški konektor,
- Montaža antenskog kabla preko vijčane veze,
- Prigušenje signala cca 10dB,
- Ugradnja u noseću pribirnicu utiskivanjem

art. **6624.0** beli blok
art. **6624.A** antracit blok

TV aerial socket transient IEC M 9,5mm

- Complied with IEC 61169-2 - male connector
- Installation of aerial cable by screw terminals
- Signal attenuation approx. 10dB
- Installation into the holding flange by pressing

art. **6624.0** white block
art. **6624.A** anthracite block



Priključnica antenska TV za individualne sisteme F/F

- Završna za satelitske antene,
- Montaža antenskog kabla preko F konektora (IEC 60169-24),
- Bez prigušenja signala,
- Ugradnja u noseću pribirnicu utiskivanjem

art. **6625.0** beli blok
art. **6625.A** antracit blok
art. **PP6625.0** beli blok - zbirno pakovanje 10 kom
art. **PP6625.A** antracit blok - zbirno pakovanje 10 kom

TV aerial socket for individual systems F/F

- Terminal for satellite aerals
- Installation of aerial cable by F connector (IEC 60169-24),
- Without signal attenuation
- Installation into the holding flange by pressing

art. **6625.0** white block
art. **6625.A** anthracite block
art. **PP6625.0** white block - collective packing 10 pcs.
art. **PP6625.A** anthracite block - collective packing 10 pcs.



Priključnica audio RCA dvostruka

- Za prenos audio signala - stereo,
- Montaža provodnika lemljenjem,
- Ugradnja u noseću pribirnicu utiskivanjem

art. **6627.0** beli blok
art. **6627.A** antracit blok

Audio socket RCA double

- For the transmission of audio signals stereo
- Installation of conducting wires by soldering
- Installation into the holding flange by pressing

art. **6627.0** white block
art. **6627.A** anthracite block



Priključnica audio/video BNC/BNC

- Za prenos audio ili video signala,
- Montaža kabla preko BNC konektora,
- Ugradnja u noseću pribirnicu utiskivanjem

art. **6628.0** beli blok
art. **6628.A** antracit blok

Audio/video socket BNC/BNC

- For the transmission of audio or video signals
- Installation of cable by BNC connector
- Installation into the holding flange by pressing

art. **6628.0** white block
art. **6628.A** anthracite block



Poklopac maske

- Za pokrivanje mesta gde nedostaje modul,
- Pokriva širinu jednog modula 22,2 mm,
- Ugradnja u noseću pribirnicu utiskivanjem

art. **6500.0** beli
art. **6500.A** antracit

Mask cover

- For covering the places where module is missing
- Covers the width of one module 22,2mm
- Installation into the holding flange by pressing

art. **6500.0** white
art. **6500.A** anthracite

