




> NOVO
srebrna standardna boja

> NEW
silver standard color



< PRESTIGE LINE >



Označavanje boja prednjih elemenata

Mogućnosti kombinacija više boja date su trocifrenom šifrom proizvoda (za kompletne proizvode) ili jednocifrengom šifrom (za mehanizme bez maske i medurama, maske i međuramove) u zavisnosti od elementa:

prva cifra - šifra boje maske
druga cifra - šifra boje medurama
treća cifra - šifra boje središnjeg dela
(taster, blok)

Kod jednocifrengog označavanja šifra predstavlja boju jednog elementa (taster, blok, maska, meduram).

Standardno se izrađuju boje: / The standard colours are:

- bela / white (RAL 9003),
- siva / grey (RAL 7035),
- bordo / dark red (RAL 3004),
- grafit sa metalik efektom graphite with metallic effect (RAL 7021)
- krem (RAL 1013)
beige
- srebrna
silver


Colour designation of front elements

The possibility of more colours combination is given by three-digit code of product (for the complete products) or one-digit code (for mechanisms without mask and interframe, masks and interframes) depending on element:

first digit - code of covering frame colour
second digit - code of interframe colour
third digit - code of middle part colour
(button, block)


In one-digit designation the code represents the colour of one element (button, block, mask, interframe)

art.605.X X X



Sklopke i priključnice PRESTIGE LINE oplemenjene su jednostavnošću tehničkih rešenja i izuzetno lako ugradnjom. Izrađene su savremenim tehnološkim postupkom od visokokvalitetnih materijala. Dizajn i boje PRESTIGE LINE programa savršeno se uklapaju u Vaše moderne enterijere.

PRESTIGE LINE switches and sockets outlets are sophisticated due to their simplicity of technical solutions and installation. They are made with possession of high manufacturing grade and quality materials. Design and colours of PRESTIGE LINE perfectly match with your modern interiors.





Ugradnja pomoću stegića je brza i jednostavna zahvaljujući rešenju koje omogućava pritezanje stegićem sa vrlo malo okretaja izvijača i bez potrebe jačeg pritezanja vijka.

The installation by clamps is quick and simple thanks to the solution that provides tightening by clamps with a few screwdriver turnings only and without any necessity for stronger screw tightening.

Pritezanje provodnika obezbedeno je pouzdanom i sigurnom vijčanom vezom za provodnike preseka do 2,5 mm². Priključivanje provodnika je veoma brzo jer je obezbeđeno njegovo postavljanje bez mogućnosti isklizavanja tokom pritezanja.

The tightening of conductors is provided by the reliable and safe screw joint for the conductors section to 2,5 mm².


The connecting of conductors is very quick as their setting up is secured without any possibility of slipping out during tightening.



Masku i taster sklopke postavljamo i skidamo veoma jednostavno.

Ova kombinacija će Vam i pored jednostavnosti obezdati dugotrajan i pouzdan rad.

We set up the cover frame and switch button in a very simple way.
This combination shall, in addition to the simplicity, provide the long and reliable operation.



Plastična priključnica je izradena tako da zauzima veoma malo prostora u montažnoj kutiji čime se montaža pojednostavljuje zbog većeg prostora za smeštaj provodnika. Priključivanje provodnika je veoma brzo jer je obezbeđeno njegovo postavljanje bez mogućnosti isklizavanja tokom pritezanja.

The plastic socket outlet is so made that it only takes a small place in the installation box thus simplifying the installation due to larger place left for the accommodation of conductor. The connecting of conductor is very quick since there is no possibility of slipping out when tightening.

Sklopka jednopolna 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegića ili vijaka

art. 605.000	bela
art. 605.00	bela bez medurama
art. 605.220	grafit, grafit, bela
art. 605.212	grafit, siva, grafit
art. 605.330	bordo, bordo, bela
art. 605.332	bordo, bordo, grafit
art. 605.999	krem
art. 605.S2S	srebrna, grafit, srebrna

Single-pole switch 10AX/250V~

- Complied with IEC 60669-1,
 - Flush mounted into the installation box 060 by clamps or screws
- | | |
|--------------|------------------------------|
| art. 605.000 | white |
| art. 605.00 | white without interframe |
| art. 605.220 | graphite, graphite, white |
| art. 605.212 | graphite, grey, graphite |
| art. 605.330 | dark red, dark red, white |
| art. 605.332 | dark red, dark red, graphite |
| art. 605.999 | beige |
| art. 605.S2S | silver, graphite, silver |



Sklopka dvopolna 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegića ili vijaka

art. 6052.000	bela
art. 6052.00	bela bez medurama
art. 6052.220	grafit, grafit, bela
art. 6052.212	grafit, siva, grafit
art. 6052.330	bordo, bordo, bela
art. 6052.332	bordo, bordo, grafit
art. 6052.999	krem
art. 6052.S2S	srebrna, grafit, srebrna

Double pole switch 10AX/250V~

- Complied with IEC 60669-1,
- Flush mounted into the installation box 060 by clamps or screws

art. 6052.000	white
art. 6052.00	white without interframe
art. 6052.220	graphite, graphite, white
art. 6052.212	graphite, grey, graphite
art. 6052.330	dark red, dark red, white
art. 6052.332	dark red, dark red, graphite
art. 6052.999	beige
art. 6052.S2S	silver, graphite, silver



Sklopka serijska 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegića ili vijaka

art. 606.000	bela
art. 606.00	bela bez medurama
art. 606.220	grafit, grafit, bela
art. 606.212	grafit, siva, grafit
art. 606.330	bordo, bordo, bela
art. 606.332	bordo, bordo, grafit
art. 606.999	krem
art. 606.S2S	srebrna, grafit, srebrna

Serial switch 10AX/250V~

- Complied with IEC 60669-1,
- Flush mounted into the installation box 060 by clamps or screws

art. 606.000	white
art. 606.00	white without interframe
art. 606.220	graphite, graphite, white
art. 606.212	graphite, grey, graphite
art. 606.330	dark red, dark red, white
art. 606.332	dark red, dark red, graphite
art. 606.999	beige
art. 606.S2S	silver, graphite, silver



Sklopka naizmenična 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegića ili vijaka

art. 607.000	bela
art. 607.00	bela bez medurama
art. 607.220	grafit, grafit, bela
art. 607.212	grafit, siva, grafit
art. 607.330	bordo, bordo, bela
art. 607.332	bordo, bordo, grafit
art. 607.999	krem
art. 607.S2S	srebrna, grafit, srebrna

Alternative switch 10AX/250V~

- Complied with IEC 60669-1,
- Flush mounted into the installation box 060 by clamps or screws

art. 607.000	white
art. 607.00	white without interframe
art. 607.220	graphite, graphite, white
art. 607.212	graphite, grey, graphite
art. 607.330	dark red, dark red, white
art. 607.332	dark red, dark red, graphite
art. 607.999	beige
art. 607.S2S	silver, graphite, silver



PRESTIGE LINE

Nova Dimenzija Kvaliteta

Sklopka naizmenična dvostruka 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka

art. 6072.000	bela
art. 6072.00	bela bez medurama
art. 6072.220	grafit, grafit, bela
art. 6072.212	grafit, siva, grafit
art. 6072.310	bordo, bordo, bela
art. 6072.330	bordo, bordo, grafit
art. 6072.332	bordo, bordo, grafit
art. 6072.999	krem
art. 6072.S2S	srebrna, grafit, srebrna

Alternative switch double 10AX/250V~

- Complied with IEC 60669-1,
- Flush mounted into the installation box 060 by clamps or screws

art. 6072.000	white
art. 6072.00	white without interframe
art. 6072.220	graphite, graphite, white
art. 6072.212	graphite, grey, graphite
art. 6072.330	dark red, dark red, white
art. 6072.332	dark red, dark red, graphite
art. 6072.999	beige
art. 6072.S2S	silver, graphite, silver



Sklopka ukrnsna 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka

art. 608.000	bela
art. 608.00	bela bez medurama
art. 608.220	grafit, grafit, bela
art. 608.212	grafit, siva, grafit
art. 608.330	bordo, bordo, bela
art. 608.332	bordo, bordo, grafit
art. 608.999	krem
art. 608.S2S	srebrna, grafit, srebrna

Cross-switch 10AX/250V~

- Complied with IEC 60669-1,
- Flush mounted into the installation box 060 by clamps or screws

art. 608.000	white
art. 608.00	white without interframe
art. 608.220	graphite, graphite, white
art. 608.212	graphite, grey, graphite
art. 608.330	dark red, dark red, white
art. 608.332	dark red, dark red, graphite
art. 608.999	beige
art. 608.S2S	silver, graphite, silver



Taster sklopka za svetlo bez indikacije 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka

art. 609.000	bela
art. 609.00	bela bez medurama
art. 609.220	grafit, grafit, bela
art. 609.212	grafit, siva, grafit
art. 609.330	bordo, bordo, bela
art. 609.332	bordo, bordo, grafit
art. 609.999	krem
art. 609.S2S	srebrna, grafit, srebrna

Light push-button switch without indication 10AX/250V~

- Complied with IEC 60669-1,
- Flush mounted into the installation box 060 by clamps or screws

art. 609.000	white
art. 609.00	white without interframe
art. 609.220	graphite, graphite, white
art. 609.212	graphite, grey, graphite
art. 609.330	dark red, dark red, white
art. 609.332	dark red, dark red, graphite
art. 609.999	beige
art. 609.S2S	silver, graphite, silver



Taster sklopka za svetlo sa indikacijom 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka
- Indikacija svetli kada je sklopka isključena

art. 6091.000	bela
art. 6091.00	bela bez medurama
art. 6091.220	grafit, grafit, bela
art. 6091.212	grafit, siva, grafit
art. 6091.330	bordo, bordo, bela
art. 6091.332	bordo, bordo, grafit
art. 6091.999	krem
art. 6091.S2S	srebrna, grafit, srebrna

Light push-button switch with indication 10AX/250V~

- Complied with IEC 60669-1,
- Flush mounted into the installation box 060 by clamps or screws
- Indication turns on when the switch is off

art. 6091.000	white
art. 6091.00	white without interframe
art. 6091.220	graphite, graphite, white
art. 6091.212	graphite, grey, graphite
art. 6091.330	dark red, dark red, white
art. 6091.332	dark red, dark red, graphite
art. 6091.999	beige
art. 6091.S2S	silver, graphite, silver



Nova Dimenzija Kvaliteta

SKLOPKE 10A i 16A

10 and 16A SWITCHES

Taster sklopka za zvono bez indikacije 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka,


art. 610.000	bela
art. 610.00	bela bez medurama
art. 610.220	grafit, grafit, bela
art. 610.212	grafit, siva, grafit
art. 610.330	bordo, bordo, bela
art. 610.332	bordo, bordo, grafit
art. 610.999	krem
art. 610.S2S	srebrna, grafit, srebrna



Door bell push-button switch with indication 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka,
- Indikacija svetli kada je sklopka isključena


art. 610I.000	bela
art. 610I.00	bela bez medurama
art. 610I.220	grafit, grafit, bela
art. 610I.212	grafit, siva, grafit
art. 610I.330	bordo, bordo, bela
art. 610I.332	bordo, bordo, grafit
art. 610I.999	krem
art. 610I.S2S	srebrna, grafit, srebrna



Sklopka jednopolna sa indikacijom 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka,
- Indikacija svetli kada je sklopka isključena

art. 625.000	bela
art. 625.00	bela bez medurama
art. 625.220	grafit, grafit, bela
art. 625.212	grafit, siva, grafit
art. 625.330	bordo, bordo, bela
art. 625.332	bordo, bordo, grafit
art. 625.999	krem
art. 625.S2S	srebrna, grafit, srebrna



Serial switch with indication 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka;
- Indikacija svetli kada je sklopka isključena

Sklopka naizmenična sa indikacijom 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegića ili vijaka,
- Indikacija svetli kada je strujno kolo otvoreno

art. 627.000	bela
art. 627.00	bela bez medurama
art. 627.220	grafit, grafat, bela
art. 627.212	grafat, siva, grafat
art. 627.330	bordo, bordo, bela
art. 627.332	bordo, bordo, grafat
art. 627.999	krem
art. 627.S2S	srebrna, grafat, srebrna

Alternative switch with indication 10AX/250V~

- Complied with IEC 60669-1,
- Flush mounted into the installation box 060 by clamps or screws
- Indication turns on when the circuit is open

art. 627.000	white
art. 627.00	white without interframe
art. 627.220	graphite, graphite, white
art. 627.212	graphite, grey, graphite
art. 627.330	dark red, dark red, white
art. 627.332	dark red, dark red, graphite
art. 627.999	beige
art. 627.S2S	silver, graphite, silver



Sklopka ukrnsna sa indikacijom 10AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegića ili vijaka,
- Indikacija svetli kada je strujno kolo otvoreno

art. 628.000	bela
art. 628.00	bela bez medurama
art. 628.220	grafit, grafat, bela
art. 628.212	grafat, siva, grafat
art. 628.330	bordo, bordo, bela
art. 628.332	bordo, bordo, grafat
art. 628.999	krem
art. 628.S2S	srebrna, grafat, srebrna

Cross switch with indication 10AX/250V~

- Complied with IEC 60669-1,
- Flush mounted into the installation box 060 by clamps or screws
- Indication turns on when the circuit is open

art. 628.000	white
art. 628.00	white without interframe
art. 628.220	graphite, graphite, white
art. 628.212	graphite, grey, graphite
art. 628.330	dark red, dark red, white
art. 628.332	dark red, dark red, graphite
art. 628.999	beige
art. 628.S2S	silver, graphite, silver



Sklopka jednopolna sa indikacijom 16AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegića ili vijaka,
- Indikacija svetli kada je sklopka isključena

art. 619.000	bela
art. 619.00	bela bez medurama
art. 619.220	grafit, grafat, bela
art. 619.212	grafat, siva, grafat
art. 619.330	bordo, bordo, bela
art. 619.332	bordo, bordo, grafat
art. 619.999	krem
art. 619.S2S	srebrna, grafat, srebrna

Single-pole switch with indication 16AX/250V~

- Complied with IEC 60669-1,
- Flush mounted into the installation box 060 by clamps or screws,
- Indication turns on when the switch is off

art. 619.000	white
art. 619.00	white without interframe
art. 619.220	graphite, graphite, white
art. 619.212	graphite, grey, graphite
art. 619.330	dark red, dark red, white
art. 619.332	dark red, dark red, graphite
art. 619.999	beige
art. 619.S2S	silver, graphite, silver



Sklopka jednopolna indikatorska 16AX/250V~

- Usaglašeno sa IEC 60669-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegića ili vijaka,
- Indikacija svetli kada je sklopka uključena

art. 6191.000	bela
art. 6191.00	bela bez medurama
art. 6191.220	grafit, grafat, bela
art. 6191.212	grafat, siva, grafat
art. 6191.330	bordo, bordo, bela
art. 6191.332	bordo, bordo, grafat
art. 6191.999	krem
art. 6191.S2S	srebrna, grafat, srebrna

Single-pole switch with indication 16AX/250V~

- Complied with IEC 60669-1,
- Flush mounted into the installation box 060 by clamps or screws,
- Indication turns on when the switch is on

art. 6191.000	white
art. 6191.00	white without interframe
art. 6191.220	graphite, graphite, white
art. 6191.212	graphite, grey, graphite
art. 6191.330	dark red, dark red, white
art. 6191.332	dark red, dark red, graphite
art. 6191.999	beige
art. 6191.S2S	silver, graphite, silver



Regulator jačine svetlosti sa naizmeničnom sklopkom 40-400VA, 230V~/50Hz

- Za sijalice sa užarenim vlaknom i halogen sijalice sa standardnim transformatorom,
- Usaglašeno sa IEC 60669-2-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegića ili vijaka;

art. 617.000	beli
art. 617.00	bela bez medurama
art. 617.220	grafit, grafat, bela
art. 617.212	grafat, siva, grafat
art. 617.330	bordo, bordo, bela
art. 617.332	bordo, bordo, grafat
art. 617.999	krem
art. 617.S2S	srebrna, grafat, srebrna

Dimmer with alternative switch 40-400VA, 230V~/50Hz

- For incandescent lamps and halogen lamps with standard transformer,
- Complied with IEC 60669-2-1,
- Flush mounted into the installation box 060 by clamps or screws

art. 617.000	white
art. 617.00	white without interframe
art. 617.220	graphite, graphite, white
art. 617.212	graphite, grey, graphite
art. 617.330	dark red, dark red, white
art. 617.332	dark red, dark red, graphite
art. 617.999	beige
art. 617.S2S	silver, graphite, silver



PRESTIGE LINE

Prikључница dvopolna dvostruka 16A/250V~ sa polikarbonatskim jezgrom

- Usaglašeno sa IEC 60884-1,
- Ugradnja u zid u montažnu kutiju 060
pomoću stegaća ili vijaka
- Nema mogućnost ugradnje u višestruke maske

art. **604.00** bela
art. **604.20** grafit sa belim meduramom
art. **604.21** grafit sa sivim meduramom
art. **604.30** bordo sa belim meduramom
art. **604.32** bordo sa grafit meduramom
art. **604.99** krem
art. **604.S2** srebrna sa grafit meduramom

Double-pole socket outlet 16A/440V~ double with polycarbonate insert

- Complied with IEC 60884-1,
- Flush mounted into the installation box 060
by clamps or screws
- No possibility of mounting into multiple cover frames

art. **604.00** white
art. **604.20** graphite with white interframe
art. **604.21** graphite with grey interframe
art. **604.30** dark red with white interframe
art. **604.32** dark red with graphite interframe
art. **604.99** beige
art. **604.S2** silver with graphite interframe



Prikључница dvopolna 16A/250V~ sa polikarbonatskim jezgrom

- Usaglašeno sa IEC 60884-1,
- Ugradnja u zid u montažnu kutiju 060
pomoću stegaća ili vijaka

art. **630.00** bela
art. **630.00** bela bez medurama
art. **630.220** grafit, grafit, bela
art. **630.212** grafit, siva, grafit
art. **630.330** bordo, bordo, bela
art. **630.332** bordo, bordo, grafit
art. **630.999** krem
art. **630.S2S** srebrna, grafit, srebrna

Double-pole socket outlet 16A/250V~ with polycarbonate insert

- Complied with IEC 60884-1,
- Flush mounted into the installation box 060
by clamps or screws

art. **630.000** white
art. **630.00** white without interframe
art. **630.220** graphite, graphite, white
art. **630.212** graphite, grey, graphite
art. **630.330** dark red, dark red, white
art. **630.332** dark red, dark red, graphite
art. **630.999** beige
art. **630.S2S** silver, graphite, silver



PRIKLJUČNICE

Prikључница dvopolna dvostruka 16A/250V~ sa polikarbonatskim jezgrom - Francuski standard

- Usaglašeno sa IEC 60884-1, NF C 61-314,
- Ugradnja u zid u montažnu kutiju 060
pomoću stegaća ili vijaka,
- Nema mogućnost ugradnje u višestruke maske

art. **6045.00** bela
art. **6045.20** grafit sa belim meduramom
art. **6045.21** grafit sa sivim meduramom
art. **6045.30** bordo sa belim meduramom
art. **6045.32** bordo sa grafit meduramom
art. **6045.99** krem
art. **6045.S2** srebrna sa grafit meduramom

Double-pole twofold socket outlet 16A/250V~ with polycarbonate insert - French standard

- Complied with IEC 60884-1, NF C 61-314,
- Flush mounted into the installation box 060
by clamps or screws,
- No possibility of mounting into multiple cover frames

art. **6045.00** white
art. **6045.20** graphite with white interframe
art. **6045.21** graphite with grey interframe
art. **6045.30** dark red with white interframe
art. **6045.32** dark red with graphite interframe
art. **6045.99** beige
art. **6045.S2** silver with graphite interframe



Prikључница dvopolna sa poklopcom 16A/250V~ sa porcelanskim jezgrom

- Usaglašeno sa IEC 60884-1,
- Ugradnja u zid u montažnu kutiju 060
pomoću stegaća ili vijaka

art. **603.000** bela
art. **603.00** bela bez medurama
art. **603.220** grafit, grafit, bela
art. **603.212** grafit, siva, grafit
art. **603.330** bordo, bordo, bela
art. **603.332** bordo, bordo, grafit
art. **603.999** krem
art. **603.S2S** srebrna, grafit, srebrna

Double-pole socket outlet with cover 16A/250V~ with porcelain insert

- Complied with IEC 60884-1,
- Flush mounted into the installation box 060
by clamps or screws

art. **603.000** white
art. **603.00** white without interframe
art. **603.220** graphite, graphite, white
art. **603.212** graphite, grey, graphite
art. **603.330** dark red, dark red, white
art. **603.332** dark red, dark red, graphite
art. **603.999** beige
art. **603.S2S** silver, graphite, silver



Prikључница dvopolna 16A/250V~ sa zaštitom od dodira - Francuski standard

- Usaglašeno sa IEC 60884-1, NF C 61-314,
- Ugradnja u zid u montažnu kutiju 060
pomoću stegaća ili vijaka

art. **6350.000** bela
art. **6350.00** bela bez medurama
art. **6350.220** grafit, grafit, bela
art. **6350.212** grafit, siva, grafit
art. **6350.330** bordo, bordo, bela
art. **6350.332** bordo, bordo, grafit
art. **6350.999** krem
art. **6350.S2S** srebrna, grafit, srebrna

Double-pole socket outlet 16A/250V~ with touch protection - French standard

- Complied with IEC 60884-1, NF C 61-314,
- Flush mounted into the installation box 060
by clamps or screws

art. **6350.000** white
art. **6350.00** white without interframe
art. **6350.220** graphite, graphite, white
art. **6350.212** graphite, grey, graphite
art. **6350.330** dark red, dark red, white
art. **6350.332** dark red, dark red, graphite
art. **6350.999** beige
art. **6350.S2S** silver, graphite, silver



Prikључница dvopolna sa poklopcom 16A/250V~ sa polikarbon. jezgrom

- Usaglašeno sa IEC 60884-1,
- Ugradnja u zid u montažnu kutiju 060
pomoću stegaća ili vijaka

art. **633.000** bela
art. **633.00** bela bez medurama
art. **633.220** grafit, grafit, bela
art. **633.212** grafit, siva, grafit
art. **633.330** bordo, bordo, bela
art. **633.332** bordo, bordo, grafit
art. **633.999** krem
art. **633.S2S** srebrna, grafit, srebrna

Double-pole socket outlet with cover 16A/250V~ with polycarbonate insert

- Complied with IEC 60884-1,
- Flush mounted into the installation box 060
by clamps or screws

art. **633.000** white
art. **633.00** white without interframe
art. **633.220** graphite, graphite, white
art. **633.212** graphite, grey, graphite
art. **633.330** dark red, dark red, white
art. **633.332** dark red, dark red, graphite
art. **633.999** beige
art. **633.S2S** silver, graphite, silver



Prikључница tropolna 16A/440V~ sa porcelanskim jezgrom

- Usaglašeno sa IEC 60884-1,
- Ugradnja u zid u montažnu kutiju 070
pomoću vijaka

art. **602.00** bela
art. **602.20** grafit sa belim meduramom
art. **602.21** grafit sa sivim meduramom
art. **602.30** bordo sa belim meduramom
art. **602.32** bordo sa grafit meduramom
art. **602.99** krem
art. **602.S2** srebrna sa grafit meduramom

Tripolar socket outlet 16A/440V~ with porcelain insert

- Complied with IEC 60884-1,
- Flush mounted into the installation box 070
by screws

art. **602.00** white
art. **602.20** graphite with white interframe
art. **602.21** graphite with grey interframe
art. **602.30** dark red with white interframe
art. **602.32** dark red with graphite interframe
art. **602.99** beige
art. **602.S2** silver with graphite interframe



► PRESTIGE LINE

Nova Dimenzija Kvaliteta

Kutija za stalni priključak 5x2,5mm² za u zid 440V~

- Usaglašeno sa IEC 60884-1,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka

- | | |
|-------------------|---------|
| art. 640.0 | bela |
| art. 640.2 | grafit |
| art. 640.3 | bordo |
| art. 640.9 | krem |
| art. 633.S | srebrna |

Junction box for continuous connection 5x2,5mm² for into the wall 440V~

- Complied with IEC 60884-1,
- Flush mounted into the installation box 060 by clamps or screws

- | | |
|-------------------|----------|
| art. 640.0 | white |
| art. 640.2 | graphite |
| art. 640.3 | dark red |
| art. 640.9 | beige |
| art. 633.S | silver |



Priključnica telefonska dvostruka RJ12 6/2 sa dve odvojene linije

- Usaglašeno sa IEC 60603-7,
- Ugradnja u zid u montažnu kutiju 070 pomoću vijaka

- | | |
|---------------------|--------------------------|
| art. 611.000 | bela |
| art. 611.00 | bela bez medurama |
| art. 611.220 | grafit, grafit, bela |
| art. 611.212 | grafit, siva, grafit |
| art. 611.330 | bordo, bordo, bela |
| art. 611.332 | bordo, bordo, grafit |
| art. 611.332 | krem |
| art. 611.S2S | srebrna, grafit, srebrna |

Double telephone socket RJ12 6/2 with two separate lines

- Complied with IEC 60603-7,
- Flush mounted into the installation box 060 by clamps or screws

- | | |
|---------------------|------------------------------|
| art. 611.000 | white |
| art. 611.00 | white without interframe |
| art. 611.220 | graphite, graphite, white |
| art. 611.212 | graphite, grey, graphite |
| art. 611.330 | dark red, dark red, white |
| art. 611.332 | dark red, dark red, graphite |
| art. 611.999 | beige |
| art. 611.S2S | silver, graphite, silver |



► PRESTIGE LINE

Nova Dimenzija Kvaliteta

Priključnica antenska TV završna za individualne sisteme

- Usaglašeno sa IEC 60169-2 - muški konektor,
- Slabljenje signala <1 dB,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka

- | | |
|----------------------|--------------------------|
| art. 612I.000 | bela |
| art. 612I.00 | bela bez medurama |
| art. 612I.220 | grafit, grafit, bela |
| art. 612I.212 | grafit, siva, grafit |
| art. 612I.330 | bordo, bordo, bela |
| art. 612I.332 | bordo, bordo, grafit |
| art. 612I.999 | krem |
| art. 612I.S2S | srebrna, grafit, srebrna |

TV aerial socket for individual systems

- Complied with IEC 60169-2 - male connector,
- Connection attenuation <1 dB,
- Flush mounted into the installation box 060 by clamps or screws

- | | |
|----------------------|------------------------------|
| art. 612I.000 | white |
| art. 612I.00 | white without interframe |
| art. 612I.220 | graphite, graphite, white |
| art. 612I.212 | graphite, grey, graphite |
| art. 612I.330 | dark red, dark red, white |
| art. 612I.332 | dark red, dark red, graphite |
| art. 612I.999 | beige |
| art. 612I.S2S | silver, graphite, silver |



Priključnica telefonska dvostruka RJ12 6/4 sa dve spojene linije

- Usaglašeno sa IEC 60603-7,
- Ugradnja u zid u montažnu kutiju 070 pomoću vijaka

- | | |
|---------------------|--------------------------|
| art. 613.000 | bela |
| art. 613.00 | bela bez medurama |
| art. 613.220 | grafit, grafit, bela |
| art. 613.212 | grafit, siva, grafit |
| art. 613.330 | bordo, bordo, bela |
| art. 613.332 | bordo, bordo, grafit |
| art. 613.999 | krem |
| art. 613.S2S | srebrna, grafit, srebrna |

Double telephone socket RJ12 6/4 with two connected lines

- Complied with IEC 60603-7,
- Flush mounted into the installation box 060 by clamps or screws

- | | |
|---------------------|------------------------------|
| art. 613.000 | white |
| art. 613.00 | white without interframe |
| art. 613.220 | graphite, graphite, white |
| art. 613.212 | graphite, grey, graphite |
| art. 613.330 | dark red, dark red, white |
| art. 613.332 | dark red, dark red, graphite |
| art. 613.999 | beige |
| art. 613.S2S | silver, graphite, silver |



Priključnica antenska TV/FM završna

- Usaglašeno sa IEC 60169-2 - muški konektor TV, ženski konektor FM,
- Odvodno slabljenje <2 dB, spregu TV/FM >20 dB,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka

- | | |
|----------------------|--------------------------|
| art. 612Z.000 | bela |
| art. 612Z.00 | bela bez medurama |
| art. 612Z.220 | grafit, grafit, bela |
| art. 612Z.212 | grafit, siva, grafit |
| art. 612Z.330 | bordo, bordo, bela |
| art. 612Z.332 | bordo, bordo, grafit |
| art. 612Z.999 | krem |
| art. 612Z.S2S | srebrna, grafit, srebrna |

TV/FM aerial socket terminal

- Complied with IEC 60169-2 - male connector TV, female connector FM,
- Connection attenuation <2 dB, coupling attenuation TV/FM >20 dB,
- Flush mounted into the installation box 060 by clamps or screws

- | | |
|----------------------|------------------------------|
| art. 612Z.000 | white |
| art. 612Z.00 | white without interframe |
| art. 612Z.220 | graphite, graphite, white |
| art. 612Z.212 | graphite, grey, graphite |
| art. 612Z.330 | dark red, dark red, white |
| art. 612Z.332 | dark red, dark red, graphite |
| art. 612Z.999 | beige |
| art. 612Z.S2S | silver, graphite, silver |



Priključnica telefonska dvostruka sa Keystone modulima RJ12 6/6 Cat3

- Usaglašeno sa IEC 60603-7,
- Ugradnja u zid u montažnu kutiju 060 pomoću vijaka,
- Montaža provodnika bez upotrebe alata (Tooles)

- | | |
|----------------------|--------------------------|
| art. 6131.000 | bela |
| art. 6131.00 | bela bez medurama |
| art. 6131.220 | grafit, grafit, bela |
| art. 6131.212 | grafit, siva, grafit |
| art. 6131.330 | bordo, bordo, bela |
| art. 6131.332 | bordo, bordo, grafit |
| art. 6131.999 | krem |
| art. 6131.S2S | srebrna, grafit, srebrna |

Double telephone socket with Keystone modules RJ12 6/6 Cat3

- Complied with IEC 60603-7,
- Wall mounted into the installation box 060 by clamps or screws ,
- Tooles conducting wire installation

- | | |
|----------------------|------------------------------|
| art. 6131.000 | white |
| art. 6131.00 | white without interframe |
| art. 6131.220 | graphite, graphite, white |
| art. 6131.212 | graphite, grey, graphite |
| art. 6131.330 | dark red, dark red, white |
| art. 6131.332 | dark red, dark red, graphite |
| art. 6131.999 | beige |
| art. 6131.S2S | silver, graphite, silver |



Priključnica antenska TV/FM prolazna

- Usaglašeno sa IEC 60169-2 - muški konektor TV, ženski konektor FM,
- Prolazno slabljenje 4 dB, odvodno 6 dB, spregu TV/FM >20 dB,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka

- | | |
|----------------------|--------------------------|
| art. 612P.000 | bela |
| art. 612P.00 | bela bez medurama |
| art. 612P.220 | grafit, grafit, bela |
| art. 612P.212 | grafit, siva, grafit |
| art. 612P.330 | bordo, bordo, bela |
| art. 612P.332 | bordo, bordo, grafit |
| art. 612P.999 | krem |
| art. 612P.S2S | srebrna, grafit, srebrna |

TV/FM aerial socket transient

- Complied with IEC 60169-2 - male connector TV, female connector FM,
- Throughpass attenuation 4 dB, connection atten. 6 dB, coupling TV/FM >20 dB
- Flush mounted into the installation box 060 by clamps or screws

- | | |
|----------------------|------------------------------|
| art. 612P.000 | white |
| art. 612P.00 | white without interframe |
| art. 612P.220 | graphite, graphite, white |
| art. 612P.212 | graphite, grey, graphite |
| art. 612P.330 | dark red, dark red, white |
| art. 612P.332 | dark red, dark red, graphite |
| art. 612P.999 | beige |
| art. 612P.S2S | silver, graphite, silver |



Priključnica antenska TV/FM/SAT završna

- Usaglašeno sa: IEC 60169-2 - muški konektor TV, ženski konektor FM,
- SAT konektor IEC 60169-24 (F tip),
- Odvodno slabljenje <2 dB, spregu TV/FM >20 dB,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka

- | | |
|----------------------|--------------------------|
| art. 612S.000 | bela |
| art. 612S.00 | bela bez medurama |
| art. 612S.220 | grafit, grafit, bela |
| art. 612S.212 | grafit, siva, grafit |
| art. 612S.330 | bordo, bordo, bela |
| art. 612S.332 | bordo, bordo, grafit |
| art. 612S.999 | krem |
| art. 612S.S2S | srebrna, grafit, srebrna |

TV/FM/SAT aerial socket terminal

- Complied with : IEC 60169-2 - male connector TV, male connector FM,
- SAT connector IEC 60169-24 (F type),
- Connection attenuation <2 dB, coupling atten. TV/FM >20 dB,
- Flush mounted into the installation box 060 by clamps or screws

- | | |
|----------------------|---------------------------|
| art. 612S.000 | white |
| art. 612S.00 | white without interframe |
| art. 612S.220 | graphite, graphite, white |
| art. 612S.212 | graphite, grey, graphite |
| art. 612S.330 | dark red, dark red, white |
| art. 612 | |

Nova Dimenzija Kvaliteta

Priključnica komunikacijska dvostruka sa Keystone modulima RJ45 Cat5e UTP

- Usaglašeno sa IEC 60603-7,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka,
- Montaža provodnika bez upotrebe alata (Toolless),
- Spajanje prema TIA/EIA-568A ili 568B standardu za raspored parica

art. 614.000 bela
art. 614.00 bela bez medurama
art. 614.220 grafit, grafit, bela
art. 614.212 grafit, siva, grafit
art. 614.330 bordo, bordo, bela
art. 614.332 bordo, bordo, grafit
art. 614.999 krem
art. 614.S2S srebrna, grafit, srebrna

Data socket double with Keystone modules RJ45 Cat5e UTP

- Complied with IEC 60603-7,
- Flush mounted into the installation box 060 by clamps or screws
- Toolless conducting wire installation
- Wiring according to TIA/EIA-568A or 568B standard for the arrangement of pairs

art. 614.000 white
art. 614.00 white without interframe
graphite, graphite, white
art. 614.220 graphite, grey, graphite
art. 614.212 graphite, grey, graphite
art. 614.330 dark red, dark red, white
art. 614.332 dark red, dark red, graphite
art. 614.999 beige
art. 614.S2S silver, graphite, silver



Priključnica komunikacijska dvostruka sa Keystone modulima RJ45 Cat5e FTP

- Usaglašeno sa IEC 60603-7,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka,
- Montaža provodnika bez upotrebe alata (Toolless),
- Spajanje prema TIA/EIA-568A ili 568B standardu za raspored parica

art. 614S.000 bela
art. 614S.00 bela bez medurama
art. 614S.220 grafit, grafit, bela
art. 614S.212 grafit, siva, grafit
art. 614S.330 bordo, bordo, bela
art. 614S.332 bordo, bordo, grafit
art. 614S.999 krem
art. 614S.S2S srebrna, grafit, srebrna













Data socket double with Keystone modules RJ45 Cat5e FTP (shielded)

- Complied with IEC 60603-7,
- Flush mounted into the installation box 060 by clamps or screws
- Toolless conducting wire installation
- Wiring according to TIA/EIA-568A or 568B standard for the arrangement of pairs

art. 614S.000 white
art. 614S.00 white without interframe
graphite, graphite, white
art. 614S.220 graphite, grey, graphite
art. 614S.212 graphite, grey, graphite
art. 614S.330 dark red, dark red, white
art. 614S.332 dark red, dark red, graphite
art. 614S.999 beige
art. 614S.S2S silver, graphite, silver



DIMENZIJE ZA UGRADNJU (osnova maske 80x80 mm)



Priključnica komunikacijska dvostruka sa Keystone modulima RJ45 Cat6 UTP

- Usaglašeno sa IEC 60603-7,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka,
- Montaža provodnika bez upotrebe alata (Toolless),
- Spajanje prema TIA/EIA-568A ili 568B standardu za raspored parica

art. 615.000 bela
art. 615.00 bela bez medurama
art. 615.220 grafit, grafit, bela
art. 615.212 grafit, siva, grafit
art. 615.330 bordo, bordo, bela
art. 615.332 bordo, bordo, grafit
art. 615.999 krem
art. 615.S2S srebrna, grafit, srebrna

Data socket double with Keystone modules RJ45 Cat6 UTP

- Complied with IEC 60603-7,
- Flush mounted into the installation box 060 by clamps or screws
- Toolless conducting wire installation
- Wiring according to TIA/EIA-568A or 568B standard for the arrangement of pairs





art. 615.000 white
art. 615.00 white without interframe
graphite, graphite, white
art. 615.220 graphite, grey, graphite
art. 615.212 graphite, grey, graphite
art. 615.330 dark red, dark red, white
art. 615.332 dark red, dark red, graphite
art. 615.999 beige
art. 615.S2S silver, graphite, silver



Data socket double with Keystone modules RJ45 Cat6 FTP (shielded)

- Complied with IEC 60603-7,
- Flush mounted into the installation box 060 by clamps or screws
- Toolless conducting wire installation
- Wiring according to TIA/EIA-568A or 568B standard for the arrangement of pairs

art. 615S.000 white
art. 615S.00 white without interframe
graphite, graphite, white
art. 615S.220 graphite, grey, graphite
art. 615S.212 graphite, grey, graphite
art. 615S.330 dark red, dark red, white
art. 615S.332 dark red, dark red, graphite
art. 615S.999 beige
art. 615S.S2S silver, graphite, silver



Priključnica komunikacijska dvostruka sa Keystone modulima RJ45 Cat6 FTP

- Usaglašeno sa IEC 60603-7,
- Ugradnja u zid u montažnu kutiju 060 pomoću stegaća ili vijaka,
- Montaža provodnika bez upotrebe alata (Toolless),
- Spajanje prema TIA/EIA-568A ili 568B standardu za raspored parica

art. 615S.000 bela
art. 615S.00 bela bez medurama
art. 615S.220 grafit, grafit, bela
art. 615S.212 grafit, siva, grafit
art. 615S.330 bordo, bordo, bela
art. 615S.332 bordo, bordo, grafit
art. 615S.999 krem
art. 615S.S2S srebrna, grafit, srebrna