
TUNGSRAM

Innovation is our heritage EST. 1896







LED T8 Value Glass

LEDT8 VG 0.6m 8W 865 100-240V TU 1/15

93112601

Product information

The LED T8 VG Glass range offers safe, reliable and affordable energy saving alternatives to standard Fluorescent T8 lamps. Available in 60cm, 120cm, 150cm and 180cm lengths, GE LED T8s can be quickly fitted as a replacement into luminaires operating on electro-magnetic control gear or on electronic gear with a simple re-wire (for further details see installation guide).

Application areas



Office



留) Hospitality

(III) Industrial



LED T8 Value Glass LEDT8 VG 0.6m 8W 865 100-240V TU 1/15 93112601

Product data

93112601
Т8
Diffuse
28
CE certified
600
604
0.145
0.215
Universal
No
Yes
Tungsram
G13

Performance data

Colour consistency <6 steps Rated Lumens [lm] 1000 Weighted energy consumption [kWh/1000h] 8.0 Rated efficacy [lm/W] 125 Energy efficiency class (EEC) A++	Nominal/ Rated Beam Angle [°]	200°
Rated Lumens [lm] 1000 Weighted energy consumption [kWh/1000h] 8.0 Rated efficacy [lm/W] 125 Energy efficiency class (EEC) A++	Colour Code	865
Weighted energy consumption [kWh/1000h] 8.0 Rated efficacy [lm/W] 125 Energy efficiency class (EEC) A++	Colour consistency	<6 steps
Rated efficacy [lm/W] 125 Energy efficiency class (EEC) A++	Rated Lumens [lm]	1000
Energy efficiency class (EEC) A++	Weighted energy consumption [kWh/1000h]	8.0
	Rated efficacy [lm/W]	125
	Energy efficiency class (EEC)	A++
Rated life L70/B50 [h] 50000	Rated life L70/B50 [h]	50000
Nominal correlated colour temperature (CCT) [K]] 6500	Nominal correlated colour temperature (CCT) [K]]	6500
Nominal lumens [lm] 1000	Nominal lumens [lm]	1000
Colour Rendering Index (CRI) [Ra] 80	Colour Rendering Index (CRI) [Ra]	80

LED T8 Value Glass LEDT8 VG 0.6m 8W 865 100-240V TU 1/15 93112601


Electrical data


Nominal lamp power factor	>0,9
Rated power [W]	3.0
Design Ambient Temperature [°C]	30+50°C
Starting time (sec)	<0,5 sec
Number of switching cycles	50000
Dimming Capability	No
Nominal lamp voltage range [V]	100-240
Nominal power [W]	3


Logistic data

Shipment	Standard
DUN Code	15994100029745
EAN Code	5994100029748
Pack Quantity	15
Inner pack type	sleeve
Outer pack type	Corrugated box
Outer case size	705*165*105mm
Product status	Available

Light distribution









LED T8 Value Glass LEDT8 VG 0.6m 8W 865 100-240V TU 1/15 93112601

Downloads & Links

Go to the catalog site (HTTP)
Photometry (IES)
Product datasheet (PDF)
Datasheet (PDF)
Installation guide (PDF)
Images (HTTP)

Datasheet (FR) (PDF)

Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com