
TUNGSRAM

Innovation is our heritage EST. 1896







LED T8 Value Glass

LEDT8 VG 1.2m 17W 840 100-240V TU 1/15

93112605

Product information

The LED T8 VG Glass range offers safe, reliable and affordable energy saving alternatives to standard Fluorescent T8 lamps. Available in 60cm, 120cm, 150cm and 180cm lengths, GE LED T8s can be quickly fitted as a replacement into luminaires operating on electro-magnetic control gear or on electronic gear with a simple re-wire (for further details see installation guide).

Application areas



Office



留) Hospitality

(III) Industrial



LED T8 Value Glass LEDT8 VG 1.2m 17W 840 100-240V TU 1/15 93112605

Product data

93112605
Т8
Diffuse
28
CE certified
1200
1214
0.255
0.374
Universal
No
Yes
Tungsram
G13

Performance data

Nominal/ Rated Beam Angle [°] 20	00°
Colour Code 84	40
Colour consistency <6	6 steps
Rated Lumens [lm] 21	100
Weighted energy consumption [kWh/1000h]	7.0
Rated efficacy [lm/W]	23.529411764706
Energy efficiency class (EEC)	++
Rated life L70/B50 [h] 50	0000
Nominal correlated colour temperature (CCT) [K]] 40	000
Nominal lumens [lm] 21	100
Colour Rendering Index (CRI) [Ra] 80	0



LED T8 Value Glass LEDT8 VG 1.2m 17W 840 100-240V TU 1/15 93112605

Electrical data

Nominal lamp power factor	>0,9
Rated power [W]	17.0
Design Ambient Temperature [°C]	-30+50°C
Starting time (sec)	<0,5 sec
Number of switching cycles	50000
Dimming Capability	No
Nominal power [W]	17

Logistic data

Shipment	Standard
DUN Code	000000000000
EAN Code	5994100029656
Pack Quantity	15
Inner pack type	sleeve
Outer pack type	Corrugated box
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)
Datasheet (PDF)
Installation guide (PDF)
Images (HTTP)
Datasheet (FR) (PDF)