

S O C K E T S V M



VM13

PT

tip type	naziv description	tehnični opis technical data	velikost size	barva colour
VM10	VTIČNICA SCHUKO+KS SOCKET SCHUKO+KS	2P+E 16A 250V~ 2M		<div style="display: flex; justify-content: space-between;"> <div> <p><input type="checkbox"/> PW bela-sijaj white-gloss</p> <p><input checked="" type="checkbox"/> SB črna-mat black-mat</p> <p><input type="checkbox"/> ES srebrna-mat silver-mat</p> <p><input type="checkbox"/> IW bež-sijaj ivory-gloss</p> <p><input checked="" type="checkbox"/> RD rdeča red</p> <p><input checked="" type="checkbox"/> GR zelena green</p> <p><input checked="" type="checkbox"/> OR oranžna orange</p> </div> <div> <p><input checked="" type="checkbox"/> PT bela+prozorna white+transparent</p> <p><input checked="" type="checkbox"/> BT črna+prozorna black+transparent</p> <p><input checked="" type="checkbox"/> ST srebrna+prozorna silver+transparent</p> <p><input checked="" type="checkbox"/> IT bež+prozorna ivory+transparent</p> <p><input checked="" type="checkbox"/> RT rdeča+prozorna red+transparent</p> <p><input checked="" type="checkbox"/> GT zelena+prozorna green+transparent</p> <p><input checked="" type="checkbox"/> OT oranžna+prozorna orange+transparent</p> </div> <div> <p><input type="checkbox"/> PP bela+bela white+white</p> <p><input checked="" type="checkbox"/> BB črna+črna black+black</p> <p><input type="checkbox"/> SS srebrna+srebrna silver+silver</p> <p><input type="checkbox"/> II bež+bež ivory+ivory</p> <p><input checked="" type="checkbox"/> RR rdeča+rdeča red+red</p> <p><input checked="" type="checkbox"/> GG zelena+zelena green+green</p> <p><input checked="" type="checkbox"/> OO oranžna+oranžna orange+orange</p> </div> </div>
VM11	VTIČNICA SCHUKO+KS+POKROV SOCKET SCHUKO+KS+COVER	2P+E 16A 250V~ 2M		
VM20	VTIČNICA EURO+KS SOCKET EURO+KS	2P 10A 250V~ 1M		



VTIČNICA SCHUKO+KS 2P+E 16A 250V~ 2M



- VM10PW
- VM10SB
- VM10ES
- VM10IW

- 2P+E schuko
- 16A 250V~, tip VM10 (VT2.)
- ustreza IEC 60884-1, CEE7
- vijajna pritrditev vodnikov 1.5-2.5 mm²
- KS vgrajena otroška zaščita pred dotikom kontaktov

SOCKET SCHUKO+KS 2P+E 16A 250V~ 2M

- 2P+E schuko
- 16A 250V~, type VM10 (VT2.)
- in accordance with IEC 60884-1, CEE7
- screw contacts 1.5-2.5 mm²
- KS build-in child protection - shuttered live contacts



VTIČNICA SCHUKO+KS 2P+E 16A 250V~ 2M



- VM10RD
- VM10GR
- VM10OR

- 2P+E schuko
- 16A 250V~, tip VM10 (VT2.)
- ustreza IEC 60884-1, CEE7
- vijajna pritrditev vodnikov 1.5-2.5 mm²
- KS vgrajena otroška zaščita pred dotikom kontaktov

SOCKET SCHUKO+KS 2P+E 16A 250V~ 2M

- 2P+E schuko socket
- 16A 250V~, type VM10 (VT2.)
- in accordance with IEC 60884-1, CEE7
- screw contacts 1.5-2.5 mm²
- KS build-in child protection - shuttered live contacts



VTIČNICA SCHUKO+KS+POKROV 2P+E 16A 250V~ 2M



- VM11PT
- VM11BT
- VM11ST
- VM11IT
- VM11PP

- 2P+E schuko+pokrov
- 16A 250V~, tip VM11 (VT2.)
- ustreza IEC 60884-1, CEE7
- vijajna pritrditev vodnikov 1.5-2.5 mm²
- KS vgrajena otroška zaščita pred dotikom kontaktov

SOCKET SCHUKO+KS+COVER

- 2P+E 16A 250V~ 2M
- 2P+E schuko+cover
- 16A 250V~, type VM11 (VT2.)
- in accordance with IEC 60884-1, CEE7
- screw contacts 1.5-2.5 mm²
- KS build-in child protection - shuttered live contacts



VTIČNICA EURO+KS 2P 10A 250V~ 1M



- VM20PW
- VM20SB
- VM20ES
- VM20IW

- VM20RD

- 2P euro
- 10A 250V~, tip VM20 (VT2.3)
- ustreza IEC 60884-1, CEE7
- vijačna pritrditev vodnikov 1.5-2.5 mm²
- KS vgrajena otroška zaščita pred dotikom kontaktov

SOCKET EURO+KS 2P 10A 250V~ 1M

- 2P Euro
- 10A 250V~, type VM20 (VT2.3)
- in accordance with IEC 60884-1, CEE7
- screw contacts 1.5-2.5 mm²
- KS build-in child protection - shuttered live contacts



VTIČNICA EURO/AMERIŠKA+KS 2P 16A 250V~ 1M



- VM21PW
- VM21SB
- VM21ES
- VM21IW

- 2P euro/ameriška
- 16A 250V~, tip VM21
- vijačna pritrditev vodnikov 1.5-2.5 mm²
- KS vgrajena otroška zaščita pred dotikom kontaktov
- samo za države izven EU

SOCKET EURO/AMERICAN+KS 2P 16A 125V~ 1M

- 2P Euro/American
- 16A 250V~, type VM23
- screw contacts 1.5-2.5 mm²
- KS build-in child protection - shuttered live contacts
- only for countries not members of EU



VTIČNICA ITALIJANSKA P17/11+KS 2P+E 16A 250V~ 1M



- VM30PW
- VM30SB
- VM30ES
- VM30IW


- 2P+E italijanska P17/11
- 16A 250V~, tip VM30 (VT2.4)
- ustreza IEC 60884-1, CEI 23-50
- vijačna pritrditev vodnikov 1.5-2.5 mm²
- KS vgrajena otroška zaščita pred dotikom kontaktov

SOCKET ITALIAN P17/11+KS 2P+E 16A 250V~ 1M

- 2P+E Italian P17/11
- 16A 250V~, type VM30 (VT2.4)
- in accordance with IEC 60884-1, CEI 23-50
- screw contacts 1.5-2.5 mm²
- KS build-in child protection - shuttered live contacts



VTIČNICA SCHUKO/ITA P17/11+KS 2P+E 16A 250V~ 2M




- VM31PW
- VM31SB
- VM31ES
- VM31IW

- 2P+E schuko/italijanska P17/11
- 16A 250V~, tip VM31
- ustreza IEC 60884-1, CEI 23-50
- vijačna pritrditev vodnikov 1.5-2.5 mm²
- KS vgrajena otroška zaščita pred dotikom kontaktov

SOCKET SCHUKO/ITA P17/11+KS

- 2P+E 16A 250V~ 2M
- 2P+E schuko/Italian P17/11
- 16A 250V~, type VM31
- in accordance with IEC 60884-1, CEI 23-50
- screw contacts 1.5-2.5 mm²
- KS build-in child protection - shuttered live contacts



VTIČNICA SCHUKO/ITA P30+KS 2P+E 16A 250V~ 2M



- VM32PW
- VM32SB
- VM32ES
- VM32IW

- 2P+E schuko/italijanska P30
- 16A 250V~, tip VM32
- ustreza IEC 60884-1, CEI 23-50
- vijačna pritrditev vodnikov 1.5-2.5 mm²
- KS vgrajena otroška zaščita pred dotikom kontaktov

SOCKET SCHUKO/ITA P30+KS

- 2P+E 16A 250V~ 2M
- 2P+E schuko/Italian P30
- 16A 250V~, type VM32
- in accordance with IEC 60884-1, CEI 23-50
- screw contacts 1.5-2.5 mm²
- KS build-in child protection - shuttered live contacts



VTIČNICA FRANCOŠKA+KS 2P+E 16A 250V~ 2M



- VM40PW
- VM40SB
- VM40ES
- VM40IW

- 2P+E francoska
- 16A 250V~, tip VM40 (VT2.2)
- ustreza IEC 60884-1, NF C 61-314, CEE7
- vijačna pritrditev vodnikov 1.5-2.5 mm²
- KS vgrajena otroška zaščita pred dotikom kontaktov

SOCKET FRENCH+KS 2P+E 16A 250V~ 2M

- 2P+E French
- 16A 250V~, type VM40 (VT2.2)
- in accordance with IEC 60884-1, NF C 61-314, CEE7
- screw contacts 1.5-2.5 mm²
- KS build-in child protection - shuttered live contacts



S O C K E T S V M



-  VM40RD
-  VM40GR
-  VM40OR

VTIČNICA FRANCOSKA+KS 2P+E 16A 250V~ 2M

- 2P+E francoska
- 16A 250V~, tip VM40 (VT2.2)
- ustreza IEC 60884-1, NF C 61-314, CEE7
- vijačna pritrditev vodnikov 1.5-2.5 mm²
- KS vgrajena otroška zaščita pred dotikom kontaktov

SOCKET FRENCH+KS 2P+E 16A 250V~ 2M

- 2P+E French
- 16A 250V~, type VM40 (VT2.2)
- in accordance with IEC 60884-1, NF C 61-314, CEE7
- screw contacts 1.5-2.5 mm²
- KS build-in child protection - shuttered live contacts



-  VM41PT
-  VM41BT
-  VM41ST
-  VM41IT

VTIČNICA FRANCOSKA+KS+POKROV 2P+E 16A 250V~ 2M

- 2P+E francoska+pokrov
- 16A 250V~, tip VM41 (VT2.5)
- ustreza IEC 60884-1, NF C 61-314, CEE7
- vijačna pritrditev vodnikov 1.5-2.5 mm²
- KS vgrajena otroška zaščita pred dotikom kontaktov

SOCKET FRENCH+KS+COVER

- 2P+E 16A 250V~ 2M
- 2P+E French+cover
- 16A 250V~, type VM41 (VT2.5)
- in accordance with IEC 60884-1, NF C 61-314, CEE7
- screw contacts 1.5-2.5 mm²
- KS build-in child protection - shuttered live contacts




-  VM51PW
-  VM51SB
-  VM51ES
-  VM51IW

VTIČNICA BRITANSKA BS 546+KS 2P+E 15A 250V~ 2M

- 2P+E britanska BS 546
- 15A/250V~, tip VM51
- ustreza BS 546
- vijačna pritrditev vodnikov 1.5-2.5mm²
- vgrajena zaščita pred dotikom kontaktov

SOCKET BRITISH BS 546+KS 2P+E 15A 250V~ 2M

- 2P+E British BS 546
- 15A 250V~, type VM51
- in accordance with BS 546
- screw contacts 1.5-2.5 mm²
- KS build-in child protection - shuttered live contacts



VM80








PRENAPETOSTNA ZAŠČITA MPE MINI 275V/50Hz


- vzporedna vezava s prvo vtičnico v seriji
- razred zaščite III
- $U_c=275V_{ac}$, $U_{oc}/I_{sc}=6kV/3kA$, $U_p<800V$
- ustreza IEC 61643-1
- vodniki 1.5mm², IP20
- zvočni signal ob uničenju

SURGE PROTECTOR MPE MINI 275V/50Hz

- parallel connection with the first socket in the row
- protection class III
- $U_c=275V_{ac}$, $U_{oc}/I_{sc}=6kV/3kA$, $U_p<800V$
- in accordance with IEC 61643-1
- wires 1.5mm², IP20
- sound signal at breakdown

UJEMANJE VTIČNIC IN VTIČEV
 SOCKETS AND PLUGS MATCHING

VTIČNICA / SOCKET	VM10	VM20	VM21	VM30	VM31	VM32	VM40	VM51
STIL VTIČA / PLUG STYLE								
nemški / German 	•				•	•		
francoski / French 	•				•	•	•	
italijanski / Italian P11 				•	•	•		
italijanski / Italian P17 				•	•			
euro 	•	•	•	•	•	•	•	
ameriški / American 			•					
britanski / British 								•



C O M M U N I C A T I O N S K M



KM10

PW

tip type	naziv description	tehnični opis technical data	velikost size	barva colour
KM10	VTIČNICA TV OSNOVNA SOCKET TV BASIC	0dB	1M	<input type="checkbox"/> PW bela-sijaj white-gloss
KM11	VTIČNICA TV KONČNA SOCKET TV END-LINE	1dB	1M	<input type="checkbox"/> SB črna-mat black-mat
KM12	VTIČNICA TV PREHODNA SOCKET TV TROUGHPASS	10dB	1M	<input type="checkbox"/> ES srebrna-mat silver-mat
.	.	.	.	<input type="checkbox"/> IW bež-sijaj ivory-gloss

VTIČNICA TV OSNOVNA 0dB 1M



- KM10PW
- KM10SB
- KM10ES
- KM10IW

- TV osnovna
 - dušenje 0dB
 - konektor zadaj – F standard
- SOCKET TV BASIC 0dB 1M**
- TV basic
- reduction 0dB
- back connector – F standard



VTIČNICA TV KONČNA 1dB 1M



- KM11PW
- KM11SB
- KM11ES
- KM11IW

- TV končna
 - frekvenčni pas 5 ÷ 2400 MHz
 - dušenje < 1 dB
 - ustreza EN 50083-1
 - vijačna priključitev
- SOCKET TV END-LINE 1dB 1M**
- TV end-line
- frequency range 5 ÷ 2400 MHz
- reduction < 1 dB
- in accordance with EN 50083-1
- screw contact



VTIČNICA TV PREHODNA 10dB 1M



- KM12PW
- KM12SB
- KM12ES
- KM12IW

- TV prehodna
 - frekvenčni pas 5 ÷ 2400 MHz
 - dušenje < 10 dB
 - ustreza EN 50083-1
 - vijačna priključitev
- SOCKET TV TROUGHPASS 10dB 1M**
- TV troughpass
- frequency range 5 ÷ 2400 MHz
- reduction < 10 dB
- in accordance with EN 50083-1
- screw contacts



VTIČNICA SAT OSNOVNA 0dB 1M



- KM15PW
- KM15SB
- KM15ES
- KM15IW

- SAT osnovna
 - dušenje 0dB
 - konektor zadaj – F standard
- SOCKET SAT BASIC 0dB 1M**
- SAT basic
- reduction 0dB
- back connector – F standard



VTIČNICA SAT KONČNA 1dB 1M



- KM16PW
- KM16SB
- KM16ES
- KM16IW

- SAT končna
- frekvenčni pas 5 ÷ 2400 MHz
- dušenje < 1dB
- ustreza EN 50083-1
- vijačna priključitev

SOCKET SAT END-LINE 1dB 1M

- SAT end-line
- frequency range 5 ÷ 2400 MHz
- reduction < 1dB
- in accordance with EN 50083-1
- screw contacts



VTIČNICA R OSNOVNA 0dB 1M



- KM19PW
- KM19SB
- KM19ES
- KM19IW

- R osnovna
- dušenje 0dB
- konektor zadaj – F standard

SOCKET R BASIC 0dB 1M

- R basic
- reduction 0dB
- back connector – F standard



VTIČNICA AVDIO 2xRCA 1M



- KM22PW
- KM22SB
- KM22ES
- KM22IW

- avdio 2x RCA
- pritrditev vodnikov s spajkanjem

SOCKET AUDIO 2xRCA 1M

- audio 2x RCA
- soldering connection of cable



VTIČNICA SAT-TV KONČNA 1dB 2M



- KM25PW
- KM25SB
- KM25ES
- KM25IW

- SAT-TV končna
- frekvenčni pas 5 ÷ 2400 MHz
- dušenje < 1dB
- ustreza EN 50083-1
- vijačna priključitev

SOCKET SAT-TV END-LINE 1dB 2M

- SAT-TV end-line
- frequency range 5 ÷ 2400 MHz
- reduction < 1dB
- in accordance with EN 50083-1
- screw contacts



VTIČNICA TEL LT RJ11 8/4 1M



- KM30PW
- KM30SB
- KM30ES
- KM30IW

- TEL LT Le-tehnika
- RJ11 8/4 ali 6/4
- ustreza IEC 60603-7
- vijačna pritrditev vodnikov

SOCKET TEL LT RJ11 8/4 1M

- TEL LT Le-tehnika
- RJ11 8/4 or 6/4
- in accordance with IEC 60603-7
- screw contacts



VTIČNICA TEL BT SEC 6/6 1M



- KM31PW
- KM31SB
- KM31ES
- KM31IW

- TEL BT britanski standard
- SEC sekundarna 6/6
- ustreza BS 6312
- vijačna pritrditev vodnikov

SOCKET TEL BT SEC 6/6 1M

- TEL BT British standard
- SEC secondary 6/6
- in accordance with BS 6312
- screw contacts

